NSN 5940-01-657-5710

Terminal Board - Page 1 of 2

Mounting Hole Diameter:



View Online at https://aerobasegroup.com/nsn/5940-01-657-5710

| 0.17 inches |
|--|
| Dielectric Withstanding Voltage In Volts: |
| 300.0 |
| Body Style: |
| Barrier type |
| Terminal Row Quantity: |
| 2 |
| Center To Center Distance Between Terminals: |
| 0.31 inches |
| Distance Between Terminal Row Centers: |
| 0.38 inches |
| Board Construction: |
| Solid construction |
| Boardlength: |
| 1.41 inches |
| Boardwidth: |
| 0.70 inches |
| Boardheight: |
| 0.48 inches |
| Board Height Excluding Terminals: |
| 0.48 inches |
| Base Thickness: |
| 0.26 inches |
| End Application: |
| Battery charger |
| Current Rating In Amps: |
| 20.0 |
| Mounting Facility Type And Quantity: |
| 4 unthreaded hole |
| Terminal Pattern Arrangement: |
| Multi-row |
| Product Name: |
| Terminal block 20 amp 300 v (ac/dc) |
| Material: |
| Steel terminals |
| Surface Treatment: |
| Nickel terminals |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |

NSN 5940-01-657-5710

Terminal Board - Page 2 of 2



Demilitarization:

No

Fiig:

A011b0