

View Online at <https://aerobasegroup.com/nsn/5945-00-001-9499>

Overall Length:

0.900 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.700 inches single mounting facility

Overall Height:

0.430 inches

Overall Width:

0.230 inches

Environmental Protection:

Hermetic

Unthreaded Mounting Hole Diameter:

0.096 inches single mounting facility

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

1.5 kilohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

1 two circuit, both positions maintained

Time Delay:

0.0050 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

300.0 milliamperes ac inductive load and 500.0 milliamperes dc inductive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 26.5 dc

Special Test Features:

Navord od41152

Terminal Type And Quantity:

8 pin all functions

Reference Number Differentiating Characteristics:

As differentiated by special test features

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A03300