## NSN 5945-00-004-1094

Electromagnetic Relay - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5945-00-004-1094
Overall Length:
1.375 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.062 inches single mounting facility
Overall Height:
1.085 inches
Overall Width:
0.359 inches
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.125 inches single mounting facility
Contact Material:
Metal
Contact Surface Treatment:
Gold
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
550.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary, two positions maintained
Operating Current Rating And Type:
43.6 milliamperes dc single winding
Time Delay:
0.006 seconds fixed operate and release time
Operating Voltage Rating And Type At Specificationified Temp:
24.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
2.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:

**Precious Material And Location:** 

30.0 dc

Contact surfaces gold

## NSN 5945-00-004-1094

Electromagnetic Relay - Page 2 of 2



Precious Material:
Gold
Terminal Type And Quantity:

8 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300