NSN 5945-00-004-6292

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-004-6292

view Online at https://aerobasegroup.com/hsh/3343-00-004-0232
Thread Class:
2a second mounting facility
Thread Direction:
Right-hand second mounting facility
Thread Length:
0.375 inches second mounting facility
Overall Length:
1.109 inches
Overall Height:
2.053 inches
Overall Width:
0.859 inches
Case Material:
Plastic
Environmental Protection:
Dustproof
Fragility Factor:
Moderately rugged
Contact Material:
Silver
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
650.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
1 threaded stud second mounting facility
Storage Type:
General purpose warehouse
Thready Qty Per Inch (tpi):
48 first mounting facility
Thread Size:
0.138 inches second mounting facility
Nonpile-up Main Contact Arrangement:
4 pole, double throw, one position momentary
Time Delay:
0.013 seconds fixed operate time
Operating Voltage Rating And Type At Specificationified Temp:
040 11 105 1

24.0 volts dc 25 degrees celsius single winding

NSN 5945-00-004-6292

Electromagnetic Relay - Page 2 of 2



Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes ac resistive load and 3.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 30.0 dc

Energizing Element Power Rating:

900.0 milliwatts

Precious Material And Location:

Contacts silver

Precious Material:

Silver

Thread Series Designator:

Unc second mounting facility

Terminal Type And Quantity:

14 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300