

View Online at <https://aerobasegroup.com/nsn/5945-00-008-0553>

Overall Length:

Between 1.320 inches and 1.330 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.073 inches first mounting facility and 1.083 inches first mounting facility

Overall Height:

Between 0.890 inches and 0.900 inches

Overall Width:

Between 0.390 inches and 0.400 inches

Environmental Protection:

Hermetic

Unthreaded Mounting Hole Diameter:

0.115 inches first mounting facility and 0.125 inches first mounting facility

Fragility Factor:

Moderately rugged

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

8.0 kilohms single winding and 12.0 kilohms single winding

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

2 unthreaded hole first mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

0.468 cubic inches

Mounting Facility Pattern:

In-line first mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

6.3 milliamperes dc single winding

Time Delay:

0.005 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

114.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

1.0 amperes dc inductive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Terminal Type And Quantity:

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300