

View Online at <https://aerobasegroup.com/nsn/5945-00-011-3046>

**Thread Class:**

2a mounting facility stud

**Body Style:**

Cylindrical frame

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.375 inches

**Body Diameter:**

0.750 centimeters

**Body Length:**

0.880 inches

**Case Material:**

Any acceptable

**Case Surface Treatment:**

Any acceptable

**Environmental Protection:**

Dustproof

**Maximum Operating Temp:**

100.0 degrees celsius

**Actuator Length:**

0.188 inches

**Actuator Diameter:**

0.125 inches

**Inclosure Type:**

Fully enclosed

**Magnetic Coil Quantity:**

1

**Duty Type:**

Intermittent

**Terminal Location:**

End opposite actuator

**Voltage Rating In Volts:**

24.0 ac

**Mounting Facility Type And Quantity:**

2 threaded stud

**Current Rating:**

175.0 milliamperes

**Actuator Stroke Type:**

Push

**Linear Force Delivered:**

0.50 ounces

**Power Takeoff Connection Type:**

Slotted-drilled

**Energizing Stroke Maximum Length:**

0.250 inches

**Thread Size:**

0.086 inches mounting facility stud

**Mounting Facility Pattern:**

Two position in-line

**Thread Series Designator:**

Unc mounting facility stud

**Terminal Type And Quantity:**

2 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A134a0