## NSN 5945-00-025-7232

Reed Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-025-7232

view Online at https://aerobasegroup.com/hist//3343-00-023-1232
Overall Length:
1.300 inches
Overall Height:
0.500 inches
Overall Width:
0.500 inches
Environmental Protection:
Dust tight
Fragility Factor:
Moderately rugged
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
420.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
1 printed circuit terminal single mounting facility
Storage Type:
General purpose warehouse
Nonpile-up Main Contact Arrangement:
1 pole, double throw, one position momentary
Operating Voltage Rating And Type At Specificationified Temp:
12.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
500.0 milliamperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
28.0 dc
Test Data Document:
81349-mil-r-5757 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
3 pin contacts
Specification Data:
81349-mil-r-5757/29 government specification
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5945-00-025-7232

Reed Relay - Page 2 of 2



Demilitarization:

No

Fiig:

A03300