

View Online at <https://aerobasegroup.com/nsn/5945-00-050-8468>

Thread Class:

2a single mounting facility

Thread Direction:

Right-hand single mounting facility

Overall Length:

Between 1.391 inches and 1.422 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.495 inches single mounting facility and 0.505 inches single mounting facility

Overall Height:

Between 1.750 inches and 1.781 inches

Overall Width:

Between 0.859 inches and 0.891 inches

Case Material:

Metal

Environmental Protection:

Dustproof

Fragility Factor:

Moderately rugged

Winding Quantity:

1

Purpose For Which Designed:

General

Coil Quantity:

1

Winding Dc Resistance Rating:

365.0 ohms single winding

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

1 threaded stud single mounting facility

Pile-up Main Contact Form Arrangement:

1c and 2a

Storage Type:

General purpose warehouse

Cubic Measure:

2.256 cubic inches

Thready Qty Per Inch (tpi):

40 single mounting facility

Thread Size:

0.112 inches single mounting facility

Mounting Facility Pattern:

Triangle single mounting facility

Time Delay:

0.015 seconds fixed operate time

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

1.000 inches single mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

4.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

9 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300