# NSN 5945-00-051-5352

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-051-5352

view Online at https://aerobasegroup.com/nsn/5945-00-051-5552
Thread Class:
2a single mounting facility
Thread Direction:
Right-hand single mounting facility
Overall Length:
1.656 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.406 inches single mounting facility
Overall Height:
1.781 inches
Overall Width:
1.125 inches
Case Material:
Metal
Environmental Protection:
Hermetic and shock resistant and vibration resistant
Fragility Factor:
Moderately rugged
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
250.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 threaded stud single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
3.318 cubic inches
Thready Qty Per Inch (tpi):
32 single mounting facility
Thread Size:
0.138 inches single mounting facility
Mounting Facility Pattern:
In-line single mounting facility

Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

## NSN 5945-00-051-5352

Electromagnetic Relay - Page 2 of 2



### **Operating Current Rating And Type:**

106.0 milliamperes dc single winding

Time Delay:

0.01 seconds fixed operate time

#### **Operating Voltage Rating And Type At Specificationified Temp:**

26.5 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 5.0 amperes dc resistive load

#### Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 29.0 dc

#### **Thread Series Designator:**

Unc single mounting facility

### **Terminal Type And Quantity:**

14 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A03300