NSN 5945-00-055-1770

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-055-1770
Overall Length:
1.719 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.406 inches single mounting facility
Overall Height:
1.510 inches
Overall Width:
0.515 inches
Mounting Slot Width:
0.150 inches single mounting facility
Case Material:
Metal
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
Contact Material:
Silver
Contact Surface Treatment:
Gold
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
950.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 slotted hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
1.336 cubic inches
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Current Rating And Type:
23.0 milliamperes dc single winding

NSN 5945-00-055-1770

Electromagnetic Relay - Page 2 of 2



Time Delay: 0.007 seconds fixed operate and release time **Operating Voltage Rating And Type At Specificationified Temp:** 48.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 10.0 amperes ac resistive load and 10.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 115.0 ac and 28.0 dc **Precious Material And Location:** Contacts silver and contact surfaces gold **Precious Material:** Silver and gold **Terminal Type And Quantity:** 8 pin all functions Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A03300