NSN 5945-00-058-2048



Electromagnetic Relay - Page 1 of 2	
View Online at https://aerobasegroup.com/nsn/5945-00-058-2048	
Overall Length:	
1.719 inches	
Center To Center Distance Between Mounting Facilities Parallel To Length:	
1.406 inches single mounting facility	
Overall Height:	
1.510 inches	
Overall Width:	
0.515 inches	
Mounting Slot Width:	
0.150 inches single mounting facility	
Case Material:	
Metal	
Environmental Protection:	
Hermetic	
Fragility Factor:	
Moderately rugged	
Contact Material:	
Silver	
Contact Surface Treatment:	
Gold	
Winding Quantity:	
1	
Purpose For Which Designed:	
General	
Coil Quantity:	
1	
Winding Dc Resistance Rating:	
900.0 ohms single winding	
Duty Type:	
Continuous	
Mounting Facility Type And Quantity:	

2 slotted hole single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

1.336 cubic inches

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

14.0 milliamperes dc single winding

NSN 5945-00-058-2048

Electromagnetic Relay - Page 2 of 2



Time Delay:

0.008 seconds fixed operate and release time

Operating Voltage Rating And Type At Specificationified Temp:

26.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

5.0 amperes ac resistive load and 5.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Precious Material And Location:

Contacts silver and contact surfaces gold

Precious Material:

Silver and gold

Terminal Type And Quantity:

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300