NSN 5945-00-058-4183

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-058-4183 **Overall Length:** 3.880 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.062 inches single mounting facility **Overall Width:** 1.330 inches **Environmental Protection:** Hermetic **Unthreaded Mounting Hole Diameter:** 0.120 inches single mounting facility Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 102.0 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 2 unthreaded hole single mounting facility **Mounting Facility Pattern:** In-line single mounting facility **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary Time Delay: 0.00 seconds fixed operate time Operating Voltage Rating And Type At Specificationified Temp: 45.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 2.0 amperes ac resistive load Main Contact Maximum Voltage Rating In Volts: **Terminal Type And Quantity:** 8 pin all functions Fsc Application Data (non-core): Relay armature, except engine Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 5945-00-058-4183

Electromagnetic Relay - Page 2 of 2



Fiig:

A03300