## NSN 5945-00-061-2685

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-061-2685

Thread Class:
2a single mounting facility
Thread Direction:
Right-hand single mounting facility
Overall Length:
1.088 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.488 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.280 inches single mounting facility
Overall Height:
0.806 inches
Overall Width:
0.800 inches
Environmental Protection:
Hermetic
Contact Material:
Silver
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
200.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 threaded stud single mounting facility
Features Provided:
Polarized
Cubic Measure:
0.701 cubic inches
Thready Qty Per Inch (tpi):
40 single mounting facility
Thread Size:
0.112 inches single mounting facility
Mounting Facility Pattern:
Diagonal single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Voltage Rating And Type At Specificationified Temp:

3.4 volts dc 25 degrees celsius single winding

## NSN 5945-00-061-2685

Electromagnetic Relay - Page 2 of 2



## Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:** 

120.0 ac and 28.0 dc

**Precious Material And Location:** 

Contacts silver

**Precious Material:** 

Silver

**Thread Series Designator:** 

Unc single mounting facility

**Terminal Type And Quantity:** 

8 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A03300