NSN 5945-00-061-3020

Electromagnetic Relay - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5945-00-061-3020 |
|---|
| Thread Class: |
| 2b single mounting facility |
| Overall Length: |
| 2.060 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 0.750 inches single mounting facility |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 0.625 inches single mounting facility |
| Overall Height: |
| 1.430 inches |
| Overall Width: |
| 1.340 inches |
| Winding Quantity: |
| 1 |
| Coil Quantity: |
| 1 |
| Winding Dc Resistance Rating: |
| 500.0 ohms single winding |
| Duty Type: |
| Continuous |
| Mounting Facility Type And Quantity: |
| 2 threaded hole single mounting facility |
| Pile-up Main Contact Form Arrangement: |
| 4a |
| Thready Qty Per Inch (tpi): |
| 40 single mounting facility |
| Thread Size: |
| 0.112 inches single mounting facility |
| Mounting Facility Pattern: |
| Diagonal single mounting facility |
| Operating Voltage Rating And Type At Specificationified Temp: |
| 28.0 volts dc 25 degrees celsius single winding |
| Main Contact Load Current Rating At Maximum Rated Voltage: |
| 2.5 amperes ac resistive load |
| Main Contact Maximum Voltage Rating In Volts: |
| 200.0 ac |
| Thread Series Designator: |
| Unc single mounting facility |
| Terminal Type And Quantity: |
| 10 pin all functions |

N/a

Shelf Life:

NSN 5945-00-061-3020

Electromagnetic Relay - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300