## NSN 5945-00-063-5848

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-063-5848

**Thread Class:** 2a single mounting facility **Thread Direction:** Right-hand single mounting facility **Overall Height:** Between 3.680 inches and 3.690 inches Overall Width: Between 2.490 inches and 2.500 inches **Case Material:** Glass **Environmental Protection:** Hermetic **Fragility Factor:** Moderately rugged Winding Quantity: **Purpose For Which Designed:** General **Coil Quantity:** Winding Dc Resistance Rating: 118.0 ohms single winding **Duty Type:** Continuous **Arc Quenching Method:** Air **Mounting Facility Type And Quantity:** 1 threaded bushing single mounting facility Storage Type: General purpose warehouse Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 1.125 inches single mounting facility **Nonpile-up Main Contact Arrangement:** 1 pole, single throw, normally closed, momentary action Time Delay: 0.03 seconds fixed operate time **Operating Voltage Rating And Type At Specificationified Temp:** 26.5 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage:

75.0 amperes ac resistive load and 75.0 amperes dc resistive load

## NSN 5945-00-063-5848

Electromagnetic Relay - Page 2 of 2



## Main Contact Maximum Voltage Rating In Volts: 28000.0 ac and 28000.0 dc Thread Series Designator: Uns single mounting facility Terminal Type And Quantity: 2 turret energizing element Shelf Life: N/a Unit Of Measure: --Demilitarization: No

**Fiig:** A03300