NSN 5945-00-070-8068

Electrical Solenoid - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-070-8068

inread Class:
2a mounting facility stud
Thread Direction:
Left-hand mounting facility stud
Body Style:
Base end actuator
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.718 inches
Body Diameter:
1.125 inches
Body Height:
0.593 inches
Actuator Diameter:
0.125 inches
Inclosure Type:
Fully enclosed
Magnetic Coil Quantity:
1
Electrical Resistance:
112.00 ohms
Duty Type:
Continuous
Terminal Location:
Circumference
Voltage Rating In Volts:
28.0 dc
Mounting Facility Type And Quantity:
2 unthreaded stud
Torque Rating And Type:
0.100 inch-pounds starting
Thready Qty Per Inch (tpi):
32 mounting facility stud
Actuator Stroke Type:
Rotary
Power Takeoff Connection Type:
Plain
Thread Size:
0.138 inches mounting facility stud
Mounting Facility Pattern:
Two position in-line
Rotation Direction And Energizing Stroke In Angular Deg:

25.0 counterclockwise

NSN 5945-00-070-8068

Electrical Solenoid - Page 2 of 2



Test Data Document:

26512-128scav252 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unc mounting facility stud

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A134a0