NSN 5945-00-076-0233

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-076-0233

view Online at https://aerobasegroup.com/nsn/5945-00-076-0253
Overall Length:
1.322 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.065 inches single mounting facility and 1.075 inches single mounting facility
Overall Height:
0.910 inches
Overall Width:
0.400 inches
Mounting Slot Width:
0.115 inches single mounting facility and 0.125 inches single mounting facility
Case Material:
Metal
Environmental Protection:
Dustproof
Fragility Factor:
Moderately rugged
Winding Quantity:
2
Purpose For Which Designed:
General
Coil Quantity:
2
Winding Dc Resistance Rating:
630.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
2 slotted hole single mounting facility
Storage Type:
General purpose warehouse
Features Provided:
Latching contacts
Cubic Measure:
0.481 cubic inches
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Time Delay:

0.005 seconds fixed operate and release time

NSN 5945-00-076-0233

Electromagnetic Relay - Page 2 of 2



Operating	Voltage	Rating	And '	Type At	Specif	icationified	Temp:
- p o. ag			,	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	O P O O		. Op.

26.5 volts dc 25 degrees celsius all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

28.0 dc

Terminal Type And Quantity:

10 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300