

View Online at <https://aerobasegroup.com/nsn/5945-00-079-0381>

Thread Class:

2a single mounting facility

Overall Length:

3.520 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.625 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.125 inches single mounting facility

Overall Height:

4.585 inches

Overall Width:

3.020 inches

Environmental Protection:

Dustproof

Frequency In Hertz:

60.0

Winding Quantity:

1

Coil Quantity:

1

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 threaded stud single mounting facility

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.164 inches single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

1 pole, double throw, one position momentary and 1 pole, single throw, normally open, momentary action

Operating Voltage Rating And Type At Specificationified Temp:

450.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 28.0 dc

Special Features:

Relay overvoltage; trip adjustment range 370 to 480 vac; factory trip setting 400 vac; temperature range minus 50 degrees c to plus 90 degrees c

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

7 screw all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A03300