NSN 5945-00-087-0891

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-087-0891 **Thread Class:** 2a single mounting facility **Overall Length:** 1.415 inches **Center To Center Distance Between Mounting Facilities Parallel To Length:** 1.200 inches single mounting facility **Overall Height:** 0.610 inches **Overall Width:** 0.810 inches **Environmental Protection:** Hermetic Center To Center Distance Between Mounting Facilities Parallel To Height: 0.400 inches single mounting facility **Fragility Factor:** Moderately rugged **Winding Quantity: Purpose For Which Designed:** General **Coil Quantity:** 1 Winding Dc Resistance Rating: 117.0 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 4 threaded stud single mounting facility Storage Type: General purpose warehouse **Features Provided:** Polarized Thready Qty Per Inch (tpi): 56 single mounting facility **Thread Size:** 0.086 inches single mounting facility **Mounting Facility Pattern:** Rectangular single mounting facility **Nonpile-up Main Contact Arrangement:**

Operating Current Rating And Type:

4 pole, double throw, one position momentary

100.0 milliamperes dc single winding

NSN 5945-00-087-0891

Electromagnetic Relay - Page 2 of 2



Ti	me	Del	lay:

0.005 seconds fixed operate and release time

Operating Voltage Rating And Type At Specificationified Temp:

12.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

1.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

14 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300