## NSN 5945-00-089-2039

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-089-2039

**Overall Length:** 

**6.310** inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

5.000 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:** 

4.406 inches single mounting facility

**Overall Height:** 

6.120 inches

**Overall Width:** 

6.120 inches

**Unthreaded Mounting Hole Diameter:** 

0.281 inches single mounting facility

Frequency In Hertz:

60.0

Winding Quantity:

Coil Quantity:

Winding Dc Resistance Rating:

113.0 ohms single winding

**Duty Type:** 

Continuous

**Mounting Facility Type And Quantity:** 

4 unthreaded hole single mounting facility

**Mounting Facility Pattern:** 

Rectangular single mounting facility

**Nonpile-up Main Contact Arrangement:** 

5 pole, single throw, normally open, momentary action

**Operating Current Rating And Type:** 

150.0 milliamperes ac single winding

Nonpile-up Auxiliary Contact Arrangement:

2 two circuit, both positions maintained

**Auxiliary Contact Maximum Voltage Rating In Volts:** 

440.0 ac and 230.0 dc

**Operating Voltage Rating And Type At Specificationified Temp:** 

440.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

45.0 amperes ac inductive load

**Main Contact Maximum Voltage Rating In Volts:** 

440.0 ac

**Terminal Type And Quantity:** 

20 pin all functions

## NSN 5945-00-089-2039

Electromagnetic Relay - Page 2 of 2



Fsc Application Data (non-core):	Fsc	Application	n Data	(non-core):
----------------------------------	-----	-------------	--------	-------------

Except engine

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300