## NSN 5945-00-089-5334

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-089-5334

## **Overall Length:**

1.690 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.375 inches single mounting facility

## **Overall Height:**

0.620 inches

#### **Overall Width:**

1.610 inches

#### **Environmental Protection:**

Hermetic

#### **Unthreaded Mounting Hole Diameter:**

0.157 inches single mounting facility

#### Winding Quantity:

1

## **Coil Quantity:**

1

## Winding Dc Resistance Rating:

5.5 kilohms single winding

Duty Type:

Continuous

## Arc Quenching Method:

Inert gas

#### Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility

Features Provided:

## Latching contacts

Mounting Facility Pattern:

In-line single mounting facility

#### Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

#### **Operating Current Rating And Type:**

20.0 milliamperes dc single winding

#### **Operating Voltage Rating And Type At Specificationified Temp:**

115.0 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

## Main Contact Maximum Voltage Rating In Volts:

110.0 ac and 28.0 dc

#### **Terminal Type And Quantity:**

8 pin all functions

#### Fsc Application Data (non-core):

Relay armature except engine

# NSN 5945-00-089-5334

Electromagnetic Relay - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300

