NSN 5945-00-089-5334

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-089-5334
Overall Length:
1.690 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.375 inches single mounting facility
Overall Height:
0.620 inches
Overall Width:
1.610 inches
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.157 inches single mounting facility
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
5.5 kilohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Inert gas
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Features Provided:
Latching contacts
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Current Rating And Type:
20.0 milliamperes dc single winding
Operating Voltage Rating And Type At Specificationified Temp:
115.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
10.0 amperes ac resistive load and 10.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
110.0 ac and 28.0 dc
Terminal Type And Quantity:
8 pin all functions

Fsc Application Data (non-core): Relay armature except engine

NSN 5945-00-089-5334

Electromagnetic Relay - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300