NSN 5945-00-096-2903

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-096-2903

Overall Length:
4.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.750 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.750 inches single mounting facility
Overall Height:
1.750 inches
Overall Width:
4.000 inches
Mounting Slot Width:
0.250 inches single mounting facility
Environmental Protection:
Dustproof
Fragility Factor:
Moderately rugged
Frequency In Hertz:
60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
435.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
4 slotted hole single mounting facility
Cubic Measure:
28.000 cubic inches
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
1 pole, double throw, one position momentary
Operating Current Rating And Type:
8.7 milliamperes dc single winding
Operating Voltage Rating And Type At Specificationified Temp:
445 O volte de 25 de grace estatus single winding

115.0 volts dc 25 degrees celsius single winding

NSN 5945-00-096-2903

Electromagnetic Relay - Page 2 of 2



Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes ac resistive load and 500.0 milliamperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 48.0 dc

Terminal Type And Quantity:

5 screw all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300