NSN 5945-00-110-1615

Electromagnetic Relay - Page 1 of 2

Thread Class:



View Online at https://aerobasegroup.com/nsn/5945-00-110-1615

2a single mounting facility **Overall Length:** 0.680 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 0.488 inches single mounting facility Center To Center Distance Between Mounting Facilities Parallel To Width: 0.220 inches single mounting facility **Overall Height:** 1.060 inches **Overall Width:** 0.710 inches Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 600.0 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 2 threaded stud single mounting facility Thready Qty Per Inch (tpi): 40 single mounting facility **Thread Size:** 0.112 inches single mounting facility **Mounting Facility Pattern:** Diagonal single mounting facility **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary Time Delay: 0.005 seconds fixed operate time Main Contact Load Current Rating At Maximum Rated Voltage: 2.0 amperes ac resistive load and 3.0 amperes dc resistive load **Main Contact Maximum Voltage Rating In Volts:** 115.0 ac and 28.0 dc **Thread Series Designator:** Unc single mounting facility **Terminal Type And Quantity:** 8 wire hook all functions Shelf Life: N/a

NSN 5945-00-110-1615

Electromagnetic Relay - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300