

View Online at <https://aerobasegroup.com/nsn/5945-00-110-9442>

Overall Length:

2.180 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.062 inches second mounting facility

Overall Height:

2.250 inches

Overall Width:

1.530 inches

Environmental Protection:

Hermetic

Unthreaded Mounting Hole Diameter:

0.156 inches second mounting facility

Frequency In Hertz:

400.0

Winding Quantity:

1

Coil Quantity:

1

Duty Type:

Continuous

Mounting Facility Type And Quantity:

1 unthreaded hole second mounting facility

Mounting Facility Pattern:

Triangle second mounting facility

Operating Current Rating And Type:

100.0 milliamperes ac single winding

Time Delay:

0.05 seconds fixed release time

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

1.688 inches second mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

115.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

15.0 amperes ac resistive load and 10.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Terminal Type And Quantity:

2 pin energizing element

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A03300