# NSN 5945-00-123-6170

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-123-6170

## **Overall Length:**

2.900 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.500 inches single mounting facility

## **Overall Height:**

1.531 inches

## **Overall Width:**

1.406 inches

#### **Case Material:**

Plastic

#### Environmental Protection:

Dustproof

#### Fragility Factor:

Moderately rugged

#### **Contact Material:**

Silver

## Contact Surface Treatment:

Cadmium plated

# Frequency In Hertz:

Between 50.0 and 60.0

#### Winding Quantity:

1

## **Purpose For Which Designed:**

General

#### **Coil Quantity:**

1

## Winding Dc Resistance Rating:

9.1 kilohms single winding

## Duty Type:

Continuous

#### Arc Quenching Method:

Air

# Mounting Facility Type And Quantity:

1 plug-in terminal single mounting facility

# Storage Type:

General purpose warehouse

# Cubic Measure:

6.242 cubic inches

# Mounting Facility Pattern:

In-line single mounting facility

# Nonpile-up Main Contact Arrangement:

1 pole, double throw, one position momentary

# NSN 5945-00-123-6170

Electromagnetic Relay - Page 2 of 2



**Time Delay:** 0.015 seconds fixed operate time Main Contact Load Current Rating At Maximum Rated Voltage: 10.0 amperes ac resistive load and 10.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 240.0 ac and 28.0 dc **Precious Material And Location:** Contacts silver **Precious Material:** Silver **Terminal Type And Quantity:** 5 tab, solder lug all functions Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A03300