# NSN 5945-00-160-6081

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-160-6081

# **Thread Class:**

2a single mounting facility

## **Overall Length:**

3.063 inches

# Center To Center Distance Between Mounting Facilities Parallel To Length:

1.187 inches single mounting facility

# Center To Center Distance Between Mounting Facilities Parallel To Width:

1.187 inches single mounting facility

## **Overall Height:**

1.765 inches

## **Overall Width:**

1.765 inches

**Environmental Protection:** 

#### Dustproof

#### Winding Quantity:

# **Coil Quantity:**

1

1

#### Winding Dc Resistance Rating:

148.0 ohms single winding

#### **Duty Type:**

Continuous

#### Mounting Facility Type And Quantity:

4 threaded stud single mounting facility

#### Thready Qty Per Inch (tpi):

32 single mounting facility

#### **Thread Size:**

0.138 inches single mounting facility

#### **Mounting Facility Pattern:**

Rectangular single mounting facility

#### Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

#### **Operating Current Rating And Type:**

220.0 milliamperes dc single winding

#### **Time Delay:**

0.022 seconds fixed operate time

#### **Operating Voltage Rating And Type At Specificationified Temp:**

28.0 volts dc 25 degrees celsius single winding

# Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

# Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

# NSN 5945-00-160-6081

Electromagnetic Relay - Page 2 of 2



**Thread Series Designator:** 

Unc single mounting facility

#### Terminal Type And Quantity:

14 pin all functions

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300