NSN 5945-00-189-1698

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-189-1698

Thread Class: 2a single mounting facility **Overall Length:** 2.280 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.438 inches single mounting facility Center To Center Distance Between Mounting Facilities Parallel To Width: 0.625 inches single mounting facility **Overall Height:** 1.230 inches **Overall Width:** 1.390 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity: Duty Type:** Continuous **Mounting Facility Type And Quantity:** 2 threaded stud single mounting facility **Features Provided:** Polarized Thready Qty Per Inch (tpi): 40 single mounting facility **Thread Size:** 0.112 inches single mounting facility **Mounting Facility Pattern:** Diagonal single mounting facility **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary **Operating Current Rating And Type:** 50.0 milliamperes dc single winding Time Delay: 1.00 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

NSN 5945-00-189-1698

Electromagnetic Relay - Page 2 of 2



Thread	Series	Design	ator

Unc single mounting facility

Terminal Type And Quantity:

8 threaded stud all functions

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A03300