## NSN 5945-00-199-5680

Electromagnetic Relay - Page 1 of 2



n/nen/50/5\_00\_100\_5680

View Online at https://aerobasegroup.com/nsn/5945-00-199-5680
Thread Class:
2b single mounting facility
Overall Length:
4.810 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.688 inches single mounting facility
Overall Height:
2.030 inches
Overall Width:
1.000 inches
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
1.0 kilohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 threaded hole single mounting facility
Pile-up Main Contact Form Arrangement:
1b1c and 1a1c and 1b1c
Thready Qty Per Inch (tpi):
32 single mounting facility
Thread Size:
0.164 inches single mounting facility
Mounting Facility Pattern:
In-line single mounting facility
Operating Current Rating And Type:
30.0 milliamperes dc single winding
Operating Voltage Rating And Type At Specificationified Temp:
50.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
500.0 milliamperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
50.0 dc
Precious Material And Location:
Contacts gold
Precious Material:
Gold

**Thread Series Designator:** 

Unc single mounting facility

## NSN 5945-00-199-5680

Electromagnetic Relay - Page 2 of 2



Termina	I Type	And (	Quantit	٧.
	11 1 1 1 1 1 1	Allu '	wuanni	ν.

17 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300