## NSN 5945-00-201-5580

Electromagnetic Relay - Page 1 of 2



n/nen/50/5-00-201-5580

View Online at https://aerobasegroup.com/nsn/5945-00-201-5580
Thread Class:
2b second mounting facility
Overall Length:
1.870 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.750 inches second mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.875 inches first mounting facility
Overall Height:
2.500 inches
Overall Width:
1.000 inches
End Application:
Type an/urt-2
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
4 threaded hole first mounting facility
Pile-up Main Contact Form Arrangement:
4a and 2b
Thready Qty Per Inch (tpi):
32 second mounting facility
Thread Size:
0.138 inches second mounting facility
Mounting Facility Pattern:
Rectangular first mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
24.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
5.00 amperes ac resistive load and 2.00 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 24.0 dc
Thread Series Designator:
Unc second mounting facility
Terminal Type And Quantity:
14 pin all functions
Shelf Life:

N/a

## NSN 5945-00-201-5580

Electromagnetic Relay - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A03300