NSN 5945-00-215-4402

Electrical Solenoid - Page 1 of 2

Thread Class:



View Online at https://aerobasegroup.com/nsn/5945-00-215-4402

2b mounting facility hole
Thread Direction:
Right-hand mounting facility hole
Body Style:
Cylindrical frame
Body Diameter:
1.562 inches
Body Length:
2.400 inches
Case Material:
Steel
Case Surface Treatment:
Nickel
Maximum Operating Temp:
225.0 degrees fahrenheit
Fragility Factor:
Moderately rugged
Inclosure Type:
Partially enclosed, shell
Magnetic Coil Quantity:
1
Electrical Resistance:
Between 24.00 ohms and 28.00 ohms
Duty Type:
Continuous
Terminal Location:
End opposite actuator
Voltage Rating In Volts:
29.0 dc
Mounting Facility Type And Quantity:
2 threaded hole
Current Rating:
1.250 amperes
Storage Type:
General purpose warehouse
Thready Qty Per Inch (tpi):
32 mounting facility hole
Actuator Stroke Type:
Pull
Linear Force Delivered:
35.00 pounds

NSN 5945-00-215-4402 Electrical Solenoid - Page 2 of 2



Power Takeoff Connection Type:
Clevis tongue
Energizing Stroke Maximum Length:
0.020 inches
Thread Size:
0.190 inches mounting facility hole
Special Features:
Material document and classification: baqq-s-633, surface treatment document and classification: damil-c-26074, cl1
Material Specification:
Qq-s-633 federal specification single material response
Surface Treatment Specification:
Mil-c-26074, cl1 military specification single treatment response
Thread Series Designator:
Unf mounting facility hole
Terminal Type And Quantity:
2 wire lead
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A134a0
Mil-std (military Standard):
Mil-c-26074 spec.