# NSN 5945-00-224-6266

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-224-6266
Thread Class:
2a single mounting facility
Thread Direction:
Right-hand single mounting facility
Thread Length:
0.375 inches single mounting facility
Overall Length:
1.688 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.230 inches single mounting facility
Overall Height:
0.811 inches
Overall Width:
0.809 inches
Case Material:
Metal
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
2 threaded stud single mounting facility
Storage Type:
General purpose warehouse
Features Provided:
Polarized
Cubic Measure:

Thready Qty Per Inch (tpi):

40 single mounting facility

1.107 cubic inches

Thread Size:

0.112 inches single mounting facility

# NSN 5945-00-224-6266

Electromagnetic Relay - Page 2 of 2



### **Mounting Facility Pattern:**

In-line single mounting facility

## **Nonpile-up Main Contact Arrangement:**

2 pole, double throw, one position momentary

### Time Delay:

1.50 seconds fixed operate time

## **Operating Voltage Rating And Type At Specificationified Temp:**

31.0 volts dc 25 degrees celsius single winding

### Main Contact Load Current Rating At Maximum Rated Voltage:

125.0 milliamperes ac resistive load and 2.0 amperes dc resistive load

## Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 30.0 dc

#### **Special Features:**

Max operating temp of 125.0 degrees c

### **Thread Series Designator:**

Unc single mounting facility

### **Terminal Type And Quantity:**

8 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

## Demilitarization:

No

Fiig:

A03300