## NSN 5945-00-226-4206

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-226-4206

**Thread Class:** 2a single mounting facility **Overall Length:** 0.875 inches **Overall Height:** 1.375 inches **Overall Width:** 0.688 inches **Environmental Protection:** Dustproof Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 2.5 kilohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 1 threaded stud single mounting facility **Pile-up Main Contact Form Arrangement:** 1c and 1c Thready Qty Per Inch (tpi): 48 single mounting facility **Thread Size:** 0.099 inches single mounting facility **Operating Current Rating And Type:** 19.0 milliamperes dc single winding Time Delay: 0.015 seconds fixed operate time Operating Voltage Rating And Type At Specificationified Temp: 48.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 1.0 amperes ac resistive load and 1.0 amperes dc resistive load **Main Contact Maximum Voltage Rating In Volts:** 115.0 ac and 24.0 dc **Special Features:** Low level contact rating 2 blank terminals **Thread Series Designator:** Unc single mounting facility

**Terminal Type And Quantity:** 8 tab, solder lug all functions

## NSN 5945-00-226-4206

Electromagnetic Relay - Page 2 of 2



_			-		
C	hο	14		.ife	•
•			_	.II C	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300