NSN 5945-00-232-2076

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-232-2076

Occupation of the
Overall Length:
6.312 inches
Overall Height:
3.938 inches
Overall Width:
2.625 inches
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.171 inches single mounting facility
Frequency In Hertz:
60.0
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
375.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Inert gas
Mounting Facility Type And Quantity:
3 unthreaded hole single mounting facility
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Operating Current Rating And Type:
0.07 amperes ac single winding
Time Delay:
1.50 seconds adjustable release time and 2.50 seconds adjustable release time
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
4.500 inches single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
110.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
5.0 amperes ac resistive load and 500.0 milliamperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
220.0 ac and 220.0 dc
Special Features:

Mercury to mercury contacts

NSN 5945-00-232-2076

Electromagnetic Relay - Page 2 of 2



Terminal Type A	and Quantity	/:
-----------------	--------------	-----------

4 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300