NSN 5945-00-232-2079

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-232-2079

Overall I	Length:
-----------	---------

7.188 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

5.625 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.375 inches single mounting facility

Overall Height:

4.000 inches

Overall Width:

6.250 inches

Unthreaded Mounting Hole Diameter:

0.281 inches single mounting facility

Frequency In Hertz:

60.0

Winding Quantity:

Coil Quantity:

Winding Dc Resistance Rating:

7.50 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

5 pole, single throw, normally closed, momentary action

Operating Current Rating And Type:

4.50 amperes ac single winding

Nonpile-up Auxiliary Contact Arrangement:

2 pole, single throw, normally open, momentary action

Auxiliary Contact Maximum Voltage Rating In Volts:

600.0 ac

Operating Voltage Rating And Type At Specificationified Temp:

110.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

25.0 amperes ac resistive load and 5.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

600.0 ac

Terminal Type And Quantity:

16 pin all functions

NSN 5945-00-232-2079

Electromagnetic Relay - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300