NSN 5945-00-236-2713

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-236-2713

Overall Length:

2.562 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.188 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.688 inches single mounting facility

Overall Height:

1.375 inches

Overall Width:

1.625 inches

Mounting Slot Width:

0.147 inches single mounting facility

Environmental Protection:

Corrosion resistant

Frequency In Hertz:

Between 55.0 and 65.0

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

530.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 slotted hole single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

58.0 milliamperes ac single winding

Operating Voltage Rating And Type At Specificationified Temp:

110.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

8.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac

Precious Material And Location:

C0ntacts silver

Precious Material:

Silver

NSN 5945-00-236-2713

Electromagnetic Relay - Page 2 of 2



	Ī	erminal	Type	And	Quantit	y:
--	---	---------	------	-----	---------	----

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300