# NSN 5945-00-236-2735

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-236-2735

# Thread Class:

2a single mounting facility

## **Overall Length:**

1.560 inches

# Center To Center Distance Between Mounting Facilities Parallel To Length:

0.438 inches single mounting facility

# Center To Center Distance Between Mounting Facilities Parallel To Width:

0.250 inches single mounting facility

## Overall Width:

0.780 inches

# Frequency In Hertz:

60.0

# Winding Quantity:

1

**Coil Quantity:** 

1

## Winding Dc Resistance Rating:

650.0 ohms single winding

Duty Type:

Continuous

## Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

## Thready Qty Per Inch (tpi):

32 single mounting facility

#### Thread Size:

0.138 inches single mounting facility

#### Mounting Facility Pattern:

Diagonal single mounting facility

## Nonpile-up Main Contact Arrangement:

1 pole, single throw, normally open, momentary action

## **Operating Current Rating And Type:**

30.0 milliamperes ac single winding

## Operating Voltage Rating And Type At Specificationified Temp:

115.0 volts ac 25 degrees celsius single winding

# Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

# Main Contact Maximum Voltage Rating In Volts:

110.0 ac and 24.0 dc

# Thread Series Designator:

Unc single mounting facility

# Terminal Type And Quantity:

4 pin all functions

# NSN 5945-00-236-2735

Electromagnetic Relay - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300

