NSN 5945-00-237-1164

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-237-1164

view Offiline at https://acrobasegroup.com/hsh/33+3-00-237-110+
Overall Length:
2.250 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.856 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.856 inches single mounting facility
Overall Height:
3.180 inches
Overall Width:
2.250 inches
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.206 inches single mounting facility
Frequency In Hertz:
60.0
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
445.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Inert gas
Mounting Facility Type And Quantity:
4 unthreaded hole single mounting facility
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Voltage Rating And Type At Specificationified Temp:
115.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
15.0 amperes ac resistive load and 15.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 32.0 dc
Shelf Life:
N/a
Unit Of Measure:

-

NSN 5945-00-237-1164

Electromagnetic Relay - Page 2 of 2



Demilitarization:

No

Fiig:

A03300