

View Online at <https://aerobasegroup.com/nsn/5945-00-237-1168>

Overall Length:

4.000 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.562 inches single mounting facility

Overall Height:

3.000 inches

Overall Width:

3.250 inches

Unthreaded Mounting Hole Diameter:

0.199 inches single mounting facility

Frequency In Hertz:

60.0

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

106.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

3 unthreaded hole single mounting facility

Mounting Facility Pattern:

Triangle single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

105.0 milliamperes ac single winding

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

2.312 inches single mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

115.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

30.0 amperes ac inductive load and 20.0 amperes dc inductive load

Main Contact Maximum Voltage Rating In Volts:

110.0 ac and 220.0 dc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300