NSN 5945-00-237-1169

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/psp/5045-00-237-1160

View Online at https://aerobasegroup.com/nsn/5945-00-237-1169
Thread Class:
2a single mounting facility
Thread Direction:
Right-hand single mounting facility
Overall Length:
0.900 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.488 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.220 inches single mounting facility
Overall Height:
0.855 inches
Overall Width:
0.800 inches
Case Material:
Metal
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
540.0 ohms single winding and 770.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
2 threaded stud single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
0.615 cubic inches
Thready Qty Per Inch (tpi):
40 single mounting facility
Thread Size:

0.112 inches single mounting facility

NSN 5945-00-237-1169

Electromagnetic Relay - Page 2 of 2



Mounting	Facility	Pattern:

Diagonal single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Time Delay:

0.006 seconds fixed operate and release time

Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

100.0 milliamperes ac lamp load and 100.0 milliamperes dc lamp load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Test Data Document:

81349-mil-r-5757 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

8 wire hook all functions

Specification Data:

81349-mil-r-5757/10 government specification

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300