NSN 5945-00-238-4522

Electrical Solenoid - Page 1 of 2

2.75 pounds



View Online at https://aerobasegroup.com/nsn/5945-00-238-4522

Thread Class:
2b mounting facility hole
Thread Direction:
Right-hand mounting facility hole
Body Style:
Cylindrical frame
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.750 inches
Body Diameter:
0.875 inches
Body Length:
1.500 inches
Case Material:
Metal
Environmental Protection:
Any acceptable
Mounting Base Width:
1.125 inches
Fragility Factor:
Moderately rugged
Inclosure Type:
Fully enclosed
Magnetic Coil Quantity:
1
Duty Type:
Duty Type:
Duty Type: Continuous
Duty Type: Continuous Terminal Location:
Duty Type: Continuous Terminal Location: End opposite actuator
Duty Type: Continuous Terminal Location: End opposite actuator Voltage Rating In Volts:
Duty Type: Continuous Terminal Location: End opposite actuator Voltage Rating In Volts: 28.0 dc
Duty Type: Continuous Terminal Location: End opposite actuator Voltage Rating In Volts: 28.0 dc Mounting Facility Type And Quantity:
Duty Type: Continuous Terminal Location: End opposite actuator Voltage Rating In Volts: 28.0 dc Mounting Facility Type And Quantity: 2 threaded hole Current Rating:
Duty Type: Continuous Terminal Location: End opposite actuator Voltage Rating In Volts: 28.0 dc Mounting Facility Type And Quantity: 2 threaded hole Current Rating: 200.0 milliamperes
Duty Type: Continuous Terminal Location: End opposite actuator Voltage Rating In Volts: 28.0 dc Mounting Facility Type And Quantity: 2 threaded hole Current Rating:
Duty Type: Continuous Terminal Location: End opposite actuator Voltage Rating In Volts: 28.0 dc Mounting Facility Type And Quantity: 2 threaded hole Current Rating: 200.0 milliamperes Storage Type: General purpose warehouse
Duty Type: Continuous Terminal Location: End opposite actuator Voltage Rating In Volts: 28.0 dc Mounting Facility Type And Quantity: 2 threaded hole Current Rating: 200.0 milliamperes Storage Type: General purpose warehouse Thready Qty Per Inch (tpi):
Duty Type: Continuous Terminal Location: End opposite actuator Voltage Rating In Volts: 28.0 dc Mounting Facility Type And Quantity: 2 threaded hole Current Rating: 200.0 milliamperes Storage Type: General purpose warehouse Thready Qty Per Inch (tpi): 32 mounting facility hole
Duty Type: Continuous Terminal Location: End opposite actuator Voltage Rating In Volts: 28.0 dc Mounting Facility Type And Quantity: 2 threaded hole Current Rating: 200.0 milliamperes Storage Type: General purpose warehouse Thready Qty Per Inch (tpi):

NSN 5945-00-238-4522

Electrical Solenoid - Page 2 of 2



Power Takeoff Connection Type:
Tee shape
Energizing Stroke Maximum Length:
0.035 inches
Thread Size:
0.164 inches mounting facility hole
Mounting Facility Pattern:
Two position in-line
Thread Series Designator:
Unc mounting facility hole
Terminal Type And Quantity:
2 threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiia:

A134a0