NSN 5945-00-239-2411

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-239-2411

Overall Length:

2.680 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.375 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.625 inches single mounting facility

Overall Height:

1.500 inches

Overall Width:

1.620 inches

Environmental Protection:

Fungus proof

Unthreaded Mounting Hole Diameter:

0.156 inches single mounting facility

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

44.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Nonpile-up Auxiliary Contact Arrangement:

1 pole, double throw, one position momentary

Auxiliary Contact Maximum Voltage Rating In Volts:

115.0 ac and 32.0 dc

Operating Voltage Rating And Type At Specificationified Temp:

8.3 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

 $5.0 \ \text{amperes}$ ac resistive load and $2.5 \ \text{amperes}$ dc resistive load

Main Contact Maximum Voltage Rating In Volts:

460.0 ac and 32.0 dc

Special Features:

Tropicalized

Terminal Type And Quantity:

11 pin all functions

NSN 5945-00-239-2411

Electromagnetic Relay - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300