NSN 5945-00-246-1849

Electromagnetic Relay - Page 1 of 2

Overall Length: 0.875 inches



View Online at https://aerobasegroup.com/nsn/5945-00-246-1849

Overall Height:			
0.400 inches			
Overall Width:			
0.800 inches			
Environmental Protection:			
Hermetic			
Fragility Factor:			
Moderately rugged			
Winding Quantity:			
1			
Purpose For Which Designed:			
General			
Coil Quantity:			
1			
Winding Dc Resistance Rating:			
922.5 ohms single winding and 1127.5 kilohms single winding			
Duty Type:			
Continuous			
Arc Quenching Method:			
Air			
Mounting Facility Type And Quantity:			
1 plug-in terminal single mounting facility			
Storage Type:			
General purpose warehouse			
Features Provided:			
Polarized			
Nonpile-up Main Contact Arrangement:			
2 pole, double throw, one position momentary			
Time Delay:			
0.006 seconds fixed operate and release time			
Operating Voltage Rating And Type At Specificationified Temp:			
26.5 volts dc 25 degrees celsius single winding			
Main Contact Load Current Rating At Maximum Rated Voltage:			
300.0 milliamperes ac resistive load and 2.0 amperes dc resistive load			
Main Contact Maximum Voltage Pating In Voltage			
Main Contact Maximum Voltage Rating In Volts:			

81349-mil-r-5757 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

Test Data Document:

8 pin all functions

NSN 5945-00-246-1849

Electromagnetic Relay - Page 2 of 2



Spec	cific	ation	Data:
------	-------	-------	-------

81349-mil-r-5757/10 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300