## NSN 5945-00-247-8320

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-247-8320

**Thread Class:** 2b single mounting facility **Overall Length:** 1.810 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.225 inches single mounting facility Center To Center Distance Between Mounting Facilities Parallel To Width: 0.750 inches single mounting facility **Overall Height:** 1.870 inches **Overall Width:** 1.400 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 1.0 kilohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 4 threaded hole single mounting facility Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 0.138 inches single mounting facility **Mounting Facility Pattern:** Rectangular single mounting facility **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary **Operating Current Rating And Type:** 9.0 milliamperes dc all windings **Operating Voltage Rating And Type At Specificationified Temp:** 87.0 volts dc 25 degrees celsius all windings Main Contact Load Current Rating At Maximum Rated Voltage: 15.0 amperes ac resistive load and 2.0 amperes dc resistive load **Main Contact Maximum Voltage Rating In Volts:** 460.0 ac and 32.0 dc **Thread Series Designator:** 

Unc single mounting facility

## NSN 5945-00-247-8320

Electromagnetic Relay - Page 2 of 2



ī	ermina	ı	Type	Δnd	Qua	antity.
ı	CHILLING	41	INDE	Allu	wu	aiititv.

8 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300