

View Online at <https://aerobasegroup.com/nsn/5945-00-248-2332>

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.188 inches single mounting facility

**Overall Height:**

0.827 inches

**Overall Width:**

2.171 inches

**Case Material:**

Brass

**Environmental Protection:**

Hermetic and shock resistant and vibration resistant

**Unthreaded Mounting Hole Diameter:**

0.144 inches single mounting facility and 0.174 inches single mounting facility

**Winding Quantity:**

1

**Coil Quantity:**

1

**Winding Dc Resistance Rating:**

620.0 ohms single winding

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

3 unthreaded hole single mounting facility

**Cubic Measure:**

2.250 cubic inches

**Mounting Facility Pattern:**

Triangle single mounting facility

**Nonpile-up Main Contact Arrangement:**

1 pole, single throw, normally open, momentary action

**Time Delay:**

30.00 seconds fixed operate time

**Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:**

2.094 inches single mounting facility

**Operating Voltage Rating And Type At Specificationified Temp:**

26.5 volts dc 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

2.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:**

28.0 dc

**Special Features:**

Contains heater element

**Terminal Type And Quantity:**

4 wire hook all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A03300