## NSN 5945-00-248-6796

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-248-6796

**Thread Class:** 2a single mounting facility **Overall Length:** 1.560 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.375 inches single mounting facility Center To Center Distance Between Mounting Facilities Parallel To Width: 1.375 inches single mounting facility **Overall Height:** 3.210 inches **Overall Width:** 1.560 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 1.6 kilohms single winding **Duty Type:** Intermittent **Arc Quenching Method:** Inert gas **Mounting Facility Type And Quantity:** 2 threaded stud single mounting facility **Thread Size:** 0.138 inches single mounting facility **Mounting Facility Pattern:** Diagonal single mounting facility **Nonpile-up Main Contact Arrangement:** 1 pole, double throw, one position momentary **Operating Current Rating And Type:** 800.0 milliamperes dc single winding **Operating Voltage Rating And Type At Specificationified Temp:** 200.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 200.0 milliamperes ac resistive load **Main Contact Maximum Voltage Rating In Volts:** 126.0 ac

Thread Series Designator:
Unc single mounting facility

## NSN 5945-00-248-6796

Electromagnetic Relay - Page 2 of 2



Termina	I Type	And (	Quantit	٧.
	11 1 1 1 1 1 1	Allu '	wuanni	ν.

5 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300