NSN 5945-00-250-5600

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-250-5600

Thread Class:

2a single mounting facility

Overall Length:

1.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.375 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.375 inches single mounting facility

Overall Height:

3.150 inches

Overall Width:

1.500 inches

Environmental Protection:

Salt spray resistant and hermetic

Winding Quantity:

1

Coil Quantity:

Winding Dc Resistance Rating:

1.0 kilohms single winding

Duty Type:

Continuous

Arc Quenching Method:

Nitrogen

Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.138 inches single mounting facility

Mounting Facility Pattern:

Diagonal single mounting facility

Nonpile-up Main Contact Arrangement:

1 pole, double throw, one position momentary

Operating Current Rating And Type:

1.0 milliamperes dc single winding

Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 24.0 dc

NSN 5945-00-250-5600

Electromagnetic Relay - Page 2 of 2



Thread	Series	Design	ator

Unc single mounting facility

Terminal Type And Quantity:

5 threaded stud all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300