# NSN 5945-00-251-3285

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-251-3285

## Thread Class:

2b single mounting facility

## **Thread Direction:**

Right-hand single mounting facility

## Overall Length:

1.328 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

0.375 inches single mounting facility

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

0.656 inches single mounting facility

#### **Overall Height:**

1.468 inches

#### **Overall Width:**

0.969 inches

#### Winding Quantity:

1

#### **Coil Quantity:**

1

#### Winding Dc Resistance Rating:

382.5 ohms single winding and 467.5 ohms single winding

Duty Type:

Continuous

#### Mounting Facility Type And Quantity:

2 threaded hole single mounting facility

**Cubic Measure:** 

1.889 cubic inches

#### Thready Qty Per Inch (tpi):

40 single mounting facility

Thread Size:

0.125 inches single mounting facility

#### Mounting Facility Pattern:

Diagonal single mounting facility

#### Nonpile-up Main Contact Arrangement:

1 pole, double throw, one position momentary

#### **Operating Current Rating And Type:**

57.0 milliamperes dc single winding

#### Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

#### Main Contact Maximum Voltage Rating In Volts:

110.0 ac and 24.0 dc

## NSN 5945-00-251-3285

Electromagnetic Relay - Page 2 of 2



**Thread Series Designator:** 

Unc single mounting facility

#### Terminal Type And Quantity:

5 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300