## NSN 5945-00-253-4961

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-253-4961

## **Overall Length:**

4.780 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.000 inches single mounting facility

## Center To Center Distance Between Mounting Facilities Parallel To Width:

1.812 inches single mounting facility

#### **Overall Height:**

1.520 inches

**Overall Width:** 

2.190 inches

**Environmental Protection:** 

Hermetic

**Unthreaded Mounting Hole Diameter:** 

0.173 inches single mounting facility

#### **Frequency In Hertz:**

60.0

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

358.0 ohms single winding

Duty Type:

Continuous

#### Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

#### **Mounting Facility Pattern:**

Rectangular single mounting facility

#### Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

#### **Operating Current Rating And Type:**

45.0 milliamperes ac single winding

#### Time Delay:

0.75 seconds adjustable release time and 10.00 seconds adjustable release time

#### **Operating Voltage Rating And Type At Specificationified Temp:**

120.0 volts ac 25 degrees celsius single winding

### Main Contact Load Current Rating At Maximum Rated Voltage:

1.5 amperes ac resistive load and 750.0 milliamperes dc resistive load

#### Main Contact Maximum Voltage Rating In Volts:

240.0 ac and 110.0 dc

#### **Terminal Type And Quantity:**

8 pin all functions

# NSN 5945-00-253-4961

Electromagnetic Relay - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300

