

View Online at <https://aerobasegroup.com/nsn/5945-00-257-6722>

Thread Class:

2a mounting facility stud

Body Style:

Armature end actuator

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.719 inches

Body Diameter:

1.125 inches

Body Height:

0.700 inches

Case Material:

Steel

Case Surface Treatment:

Cadmium

Inclosure Type:

Fully enclosed

Magnetic Coil Quantity:

1

Electrical Resistance:

11.10 ohms

Duty Type:

Continuous

Terminal Location:

Circumference

Voltage Rating In Volts:

28.0 dc

Mounting Facility Type And Quantity:

2 threaded stud

Torque Rating And Type:

2.07 inch-pounds starting and 4.05 inch-pounds end

Actuator Stroke Type:

Rotary

Power Takeoff Connection Type:

Plate coupling

Energizing Stroke Maximum Length:

0.025 inches

Plate Coupling Facility And Quantity:

3 unthreaded hole

Plate Coupling Facility Diameter:

0.952 inches

Plate Coupling Facility Radius:

0.476 inches

Plate Coupling Facility Center To Center Spacing In Deg:

120.0

Thread Size:

0.099 inches mounting facility stud

Mounting Facility Pattern:

Two position in-line

Rotation Direction And Energizing Stroke In Angular Deg:

45.0 clockwise

Thread Series Designator:

Unc mounting facility stud

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A134a0